DIGITAL PLUS

CMYK DRY TONER

ELECTROPHOTOGRAPHY

WITH OPTIONAL IN-LINE FLEXO

DECORATION & CONVERTING


AN EXPANDABLE DIGITAL HYBRID PLATFORM WITH A ROADMAP TO GROWTH

mark anoy

DIGITAL



The Digital Pro PLUS delivers a roadmap to growth at an entry level investment.



Discover the future of digital printing with the Digital Pro PLUS - a dynamic, efficient, and expandable solution designed with your needs in mind. Our cutting-edge Pro Series platform incorporates a hybrid modular chassis, delivering production excellence consistently.

Key Features

- Hybrid modular expandable chassis with inline finishing
- Entry-level investment into digital printing
- Quick warm-up time
- Excellent and consistent quality
- High-quality screen
- Minimum font size: 4 pt reverse type and 2 pt positive type as a standard
- Durable toner
- Variable Data Printing (VDP) enabled
- All consumables available through MAPP
- Compact design
- Optional roll lift available

Designed for Growth and Efficiency

This hybrid platform effortlessly combines modern technology with a legacy of 77 years of industry-leading web handling experience. The Digital Pro PLUS delivers a low cost to print at high print speeds while maintaining excellent quality.

The Digital Pro PLUS leverages the Pro Series platform to deliver a modular, hybrid chassis that adapts and scales in harmony with your business growth.

Roll-to-Roll Upgrade to...

New Modern Platform

- Developed on the the new fully servo-driven CE certified Pro Series platform
- Easy for Operators, regardless of skill level
- **Connected** supported with Mark Andy sMArt link for real time production monitoring & analytics
- Quick setup & changeover
- Streamline the way you impose print jobs with ProWorx

Comprehensive Support and Consumables

Exceptional Quality and Durability

Our advanced printing technology enables a minimum font size of 4 pt reverse type and 2 pt positive type as a standard. The durable toner, backed by light-fastness tests, ensures optimal print quality, while Variable Data Printing (VDP) empowers businesses to leverage personalized and dynamic print campaigns.

Servo Rewind With 30" roll capacity (20" with dual upper/lower simultaneously)

Available

self-wound

lamination

Expand with multi-use flexo stations after digital module to allow decorating with PMS spot colors, varnishes, laminates and adhesives, cold foil, and more.

Available cold foil

Semi-Rotary Converting

4"-24" repeat range with waste windup, slitting, scoring available, and option to use full rotary existing tooling

Mark Andy's industry leading service and support network is readily available to our customers. All Digital Pro PLUS consumables and spare parts are available through MAPP, providing our customers with a streamlined avenue for all their operational needs.

Mal mark anoy PRINT PRODUCTS

Product Value Add Labels

Future-proof Configurability

This machine is scalable and can be upgraded as your business evolves.

Digital bypass 30 inch (762mm) available (one color servo-driven unwind blanks/spot jobs) web cleaner and optional corona treating

High Resolution Digital Print Proven CMYK dry toner technology provides 1200 dpi print with reliable results

Flexo Stations with UV or UV LED curing options. Pre-registration sets near perfect after first label

Auto-registration maintains registration at all speeds

DIGITAL PLUS

Technical Specifications

Print Engine	AL230
Web Width	13 inch (330mm)
Print Width	12.6 inch (320mm)
Print Resolution	1200 / 8 bit, 3600 DPI equivalent
Printing Process	CMYK Dry Toner Electrophotography, Capable of Flexo
Speeds	77 fpm (24mpm)
Die Repeat	4-24 inch (102-610mm)
Print Repeat	7-48 inch (178-1195mm) digital banner mode, 5.5-24 inch (140-610mm)
Substrates	PS, PP, PET, supported films
Roll Capacity	30 inch (762mm) single rewind, 20 inch dual rewind
Curing	GEW E2C UV and UV LED options
Power Requirements	380-480V 3 Phase (amperage dependent upon configuration), 200-240 single phase 24 amp
Pneumatic Requirements	100 PSI at 2 CFM
Environment	40-60% relative humidity
Converting & Finishing Options:	 Conventional die station Flexographic print station before and after digital module Sheeter stacker conveyor Digital module bypass Cold foil Lamination Slitting & scoring Semi-rotary die station with a repeat range of 4"-24"

Tool Kit & Accessories

The key to successfully optimizing your pressroom is to utilize important accessories to ensure the fastest setup and changeover times so that optimum Productivity can be achieved. Ask about building the right Tool Kit for your pressroom!





Global Headquarters 18081 Chesterfield Airport Road Chesterfield, MO USA 63005 Tel +1 636 532 4433 Fax +1 636 532 1510 Email info@markandy.com

Versatile Applications

The DPro PLUS is perfect for various applications, including prime pressure-sensitive labels, durable & industrial labels, paper labels, craft goods, food & beverage, variable data, health & beauty, and more.

Partner with Mark Andy and the DPro PLUS to unlock your business's full potential and forge a path towards continued growth and success.



Our Promise

With a mission to serve as your Total Solutions Partner, our global team is committed to delivering high quality, innovative solutions and support to help you drive Profitability.

Mark Andy responds to business needs by offering a broad range of equipment, education, support and supplies to printers and converters around the world.

Partnering with Mark Andy means access to leading global brands with **Mark Andy** narrow and mid-web printing presses, **Rotoflex** finishing solutions, and a complete line of **Mark Andy Print Products** consumables and pressroom supplies. All Mark Andy Products are supported by the largest customer service team in the industry, committed to delivering spare parts, technical service, PM Programs, retrofits and rebuilds, as well as dedicated hands-on training through **My.MarkAndy.com.**



For your local representative go to markandy.com/dealerlocator

MA-DIGITALPROPLUS_LETTER.11.2023